We are sending you attached CETP Membership Form and MOU(Memorandum of Understanding) to become the member of CETP for active participation in establishment of CETP Kahrani. You are advised to submit Affidavit(CETP Membership Form) & MOU dully filled and signed on Rs.50/- Non Judicial Stamp separately along with the following documents:-

- 1. Copy of RIICO Lease Dead
- 2. Copy of CTO (Consent to Operate)
- 3. Copy of GST Certificate
- 4. Copy of Last Electricity Bill
- 5. Payment Proof (Chq/DD or Screen Shot of payment made)

AFFIDAVIT

<u>e-Stamp Certificate No.</u> (To be submitted by Member Unit to Chairman, Kahrani Green Treaters Association on Rs.50/-Stamp Paper)

Project Product, & Red/ Large/ Consumption KLD Investment Plot (in	That I/We am/are response ituated at Plot No. and hence shall be responstruction of CETP, chape fixed by SPV Association	de as follow ible for esta consible fo rges for op- on, RSPCE	VS:						
That I/We am/are responsible for establish/Operating the Unit M/s	That I/We am/are responsituated at Plot No. and hence shall be responsituation of CETP, chapped fixed by SPV Association	ible for esta consible fo rges for ope on, RSPCE		perating the	e Unit M/s				
construction of CETP, charges for operation & maintenance and up-gradation of plant required time to tir be fixed by SPV Association, RSPCB and RIICO. The person in charge besides the undersigned shall (Name) having contact no	construction of CETP, cha se fixed by SPV Associat	rges for op on, RSPCE	ablish/O r depos	perating the	e Unit M/s				
construction of CETP, charges for operation & maintenance and up-gradation of plant required time to tir be fixed by SPV Association, RSPCB and RIICO. The person in charge besides the undersigned shall (Name) having contact no	construction of CETP, cha se fixed by SPV Associat	rges for op on, RSPCE	r depos						
construction of CETP, charges for operation & maintenance and up-gradation of plant required time to tir be fixed by SPV Association, RSPCB and RIICO. The person in charge besides the undersigned shall (Name) having contact no	construction of CETP, cha se fixed by SPV Associat	rges for op on, RSPCE	r depos				, Alv	var-30	1019 (Raj
be fixed by SPV Association, RSPCB and RIICO. The person in charge besides the undersigned shall (Name) having contact no	e fixed by SPV Associat	on, RSPCE							
That I/We am/are						_			
That I/We am/are		hovi							
That details of our project are as follows: - Name of Project Mfg/Services	Name)	Havii	ng conta	act 110		LIIIa	ıı ıu		<u> </u>
That details of our project are as follows: - Name of Project Mfg/Services	hat I/We am/are					(Name	& Designati	on) aut	horized to
Name of Project Product, & Red/ Category Medium/ Small Source Quantity Depreciation) in Crores Raw, Material Product, & Red/ Orange/ Green Scale Large/ Medium/ Small Source Quantity Depreciation) in Crores Bore well RilCO Tankers Others Others							·	,	
Name of Project Mfg/Services	That dataile of our project	ana aa fallas							
Project Mfg/Services Production Capacity Green Small Source Quantity Depreciation) in Crores Bore well RIICO Tankers Others	nat details of our project	are as tollo	NS: -						
Mfg/Services Production Capacity Orange/ Green Medium/ Small Source Quantity (Without Depreciation) in Crores Mtr. Bore well RIICO Tankers That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Point Boiler Feed/ Cooling/ Spraying etc. Domestic Including Gardening Including Process Total KLD That maximum daily waste water discharge shall not exceed the following: RO Reject/ Softener / DM Plant regeneration etc. Domestic Industrial Process Total Waste water discharge point Boiler blow down/ Cooling tower RO Reject/ Softener / DM Plant regeneration etc. Domestic Use Process Total									Area of
Capacity Green Small Depreciation) in Crores Bore well RIICO Tankers Others That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Spraying etc. Domestic Including Gardening KLD That maximum daily waste water discharge shall not exceed the following: Waste water discharge shall not exceed the following: Waste water discharge point down/ Cooling Plant regeneration etc. Use Process KLD		<i>'</i>		Large/ Medium/					Plot (in S Mtr.)
That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Boiler Feed/ Cooling/ Spraying etc. Domestic Including Process Total			•				Depreciat	ion) in	,
That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Boiler Feed/ Cooling/ Spraying etc. Domestic Including Including Gardening Process Total					Bore well		Cror	25	
That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Boiler Feed/ Cooling/ Spraying etc. Domestic Including Gardening Process Total					RIICO				
That there shall not be any increase in raw water consumption/Production Capacity/Capital investment without getting the revised membership certificate. That maximum daily raw water consumption shall not exceed the following: Consumption Boiler Feed/ Cooling/ Spraying etc. Domestic Including Gardening Process Total					Tankers				
That maximum daily raw water consumption shall not exceed the following: Consumption Point Boiler Feed/ Cooling/ Spraying etc. Domestic Including Gardening Process					Others				
That maximum daily raw water consumption shall not exceed the following: Consumption Boiler Feed/ Cooling/ Spraying etc. Domestic Including Gardening Process									
That maximum daily waste water discharge shall not exceed the following: Waste water discharge point Boiler blow down/ Cooling tower Plant regeneration etc. Use Process	vithout getting the revised That maximum daily raw w Consumption Boomst	membersh ater consul	ip certifi mption s ooling/	cate. shall not exc Dom Inclu	ceed the fo	ollowing:	ial		
Waste water discharge point down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling Plant regeneration etc. Use Process Process Cooling Plant regeneration etc. Cooling Plant	KLD								
Waste water discharge point down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling tower Boiler blow down/ Cooling Plant regeneration etc. Use Process Process Domestic Process	That mayimum daily waat	water dies	haraa a	hall mat ava	and that fa	llassinas			
discharge point down/ Cooling tower Cooling tower Plant regeneration etc. Use Process	nat maximum daily waste	water disc	narge s	naii not exc	eed the to	llowing.			
KLD									Γotal
KLD			Plar	it regenerati	on etc.	Use	Process		
Manufacturing Process in brief:									
Manufacturing Process in brief:									
	Manufacturing Process in	orief:							

That the unit shall reuse the treated effluent from CETP in the proportion as decided by the 9. Association/RSPCB.

system.

e-Stamp Certificate No.

....2....

10.	That our unit shall provide facilities for primary treatment of waste water within our premises so as to confirm to the limits as may be imposed by the Association/RSPCB.					
11.	That our unit shall recycle effluent within our premises up to maximum possible extent either in the proces or for gardening/plantation subject to the conformity with the standards prescribed by the RSPCB.					
12.	That our unit shall comply with the conditions which may be imposed by RSPCB in the letters of consent t establish/operate authorization under HWMR (Hazardous waste management rules).					
13.	That at any point of time, any changes in the above given information/particulars will be intimated to the Association/RSPCB.					
14.	I/We agree to deposit following amount to become the member of the Trust.					
	a.	CETP Membership Amount (One Time) as fixed below as per plot area by the Association (KGTA). (Rs 5000/- up to 1000 SQM, Rs.10000/- for 1000-3000 SQM and Rs.20000 for above 3000SQM) + 18 % GST.				
	b.	Operation & Maintenance Expenses of CETP as and when demanded by Association.				
	C.	I/We shall pay our share of the Capital Cost of CETP Construction as decided by the Association (KGTA)/RIICO/RSPCB.				
	d.	Membership Payment Details, Tick given below option: i By Chq/DD No dated//2022 Issuing Bank in favour of Association ii By NEFT/RTGS to Association's ICICI Bank A/c 174405000555 IFS Code ICIC0001744 (Chq/DD or Screenshot of NEFT/RTGS/Bank Transfer is enclosed herewith)				
		nderstand that the above would entitle me to have representation on the board of Directors of ANI GREEN TREATERS ASSOCIATION.				
15.	mainte	We shall be responsible to deposit the CEPT charges (CETP Project Cost) and CETP operation and nance expenses along with the applicable taxes as fixed by RIICO, RSPCB and the Association or and conditions as decided. I/We understand that in case of delay the applicable interest will have to be me.				
		<u>VERIFICATION</u> Deponent				
		wadi on date/ that the above contents of this affidavit are true & correct to the best of and belief and nothing has been concealed there from.				

Copy of documents to be submitted:

1. RIICO Lease Deed 2. CTE/CTO issued by RSPCB 3. Electricity Bills 4. GST Certificate.

Address:

Situated at Plot No _____

Phone/Mobile No: _____

Email-ld:

Memorandum of Understanding

KAHRANI GREEN TREATERS ASSOCIATION (KGTA)

<u>AND</u>

M/s
Plot No
This Memorandum of understanding made at Bhiwadi on theday of between Kahrani Green Treaters Association (KGTA) registered under the Companies Act, 2013 having its
Registered office at Plot No.01, RIICO Commercial Complex, Industrial Area, Chopanki, Bhiwadi, Alwar
Rajasthan of the one part AND M/shaving Registered office
Bhiwadi (Raj.) of the second part.
RIICO intends to establish a Common Effluent Treatment Plant (CETP) at Kahrani for treatment of effluents from Industries and the work of the said CETP to be built at RIICO Industrial Area, Shahdod is handed over to Kahrani Green Treaters Association for construction and operation & maintenance.
KGTA intends to establish CETP for treatment of Industrial Effluents of the Industrial Area putting their best efforts, experience and technologies to ensure treatment of effluents up to parameters/standards decided by CPCB/RSPCB.
The main objectives of KGTA are as under: -
 To meet the prescribed standards of Inlet & Outlet effluent. To minimize the effluent discharge.
In order to facilitate the successful running of CETP Project, KGTA is entering in to this MOU with
This MOU shall come into effect from
KGTA (CETP) Project and Scope of MOU

1. KGTA has the mandate from Industries and Industrial Associations to run and oversee the CETP, Kahrani with past experience, expertise, skill, technologies by following democratic norms and standard uniform procedures for all.

2. KGTA Shall: -

- 1) KGTA becomes a Special Purpose Vehicle (SPV) for management of CETP.
- 2) KGTA will ensure that the incoming Industrial effluents are treated in a manner and meets with the CPCB/RSPCB prescribed standards.
- 3) KGTA will continue to strive for technology, man power, skill improvement in effluent treatment process to meet the changing environment needs and requirements.
- 4) KGTA will provide adequately trained staff for effective and efficient as well as cost effective running of the CETP at all time.
- 5) KGTA will evolve a suitable mechanism for smooth functioning of the CETP.
- 6) KGTA will plan for capacity enhancement as and when required.
- 7) KGTA will have a full-fledged laboratory facility for the monitoring of the CETP performance as well as continuous up-gradation and optimization of the plant along with R&D of the treatment procedures.
- 8) KGTA will categorize the industries located in industrial area in consultation with RIICO & RSPCB as per prevailing norms.
- 9) KGTA will levy Membership Charges, CETP Charges (Project construction cost and O&M cost) in consultation with RIICO & RSPCB and make yearly revision thereof to meet the expense incurred/ to be incurred on operation & Maintenance of CETP.
- 10) KGTA will collect the CETP charges from the member units for Project construction and O&M of CETP.
- 11) KGTA will timely intimate to the member units about their Project construction and O&M charges for depositing the same within the due date.
- 12) KGTA will issue membership receipt on payment of prescribed fees to the industries on submission of relevant information on non-judicial stamp paper regarding Raw-material, Product, Production capacity, Plot area, source of water, raw water consumption & waste water generation, treatment and discharge quantity.
- 13) KGTA will ensure procurement of all chemicals, spare parts, machineries, fuels etc. required for waste water treatment well in advance for ensuring adequate availability of quality and quantity of the items.
- 14) KGTA will carry out surprise checks of the industries in order to check quality and quantity of effluent being discharged by units.
- 15) KGTA will revoke memberships and take appropriate action as and when required against defaulting units in consultation with RSPCB & RIICO or Govt. of Rajasthan in general.
- 16) KGTA will ensure that annual account be audited by a firm of Chartered Accountant every year and Audited Annual Account approved by Annual General Meeting of KGTA.
- 17) KGTA will ensure to organize the meeting of the Board of Directors once in a month and Annual general body meeting once in a year and any other meetings with a proper intimation to the member units.

- 18) KGTA ensure that hazardous waste will be sent to Authorized TSDF sites or to cement industries through a authorized transporter for its ultimate disposal & co-processing after obtaining the necessary permissions for the same.
- 19) KGTA will develop a green belt area, for development & maintenance of green belt.
- 20) KGTA will follow practice of medical check -up facility for the employees & their families in accordance to the requirement of Factories Act for which the services of qualified medical officer, PHC or a Private Hospital will be rendered.
- 21) KGTA will implement Occupational health & Safety plan.
- 22) KGTA will ensure compliances of all the government norms and procure permissions from the government departments.

3.	M/s	shall:

- 1) Abide by specific condition in the Membership Terms & Conditions.
- 2) Will be equipped with their own waste treatment plants, so that the inlet effluent quality to CETP will meet the prescribed standards.
- 3) Will daily monitor the specified parameters of the effluent & its flow and the data will be submitted to KGTA on regular basis.
- 4) The Unit shall use single well-defined outlet for discharge of waste into the conveyance system attached to CETP, such outlet shall be well equipped with Electro-magnetic flow meter & online pH metering and recording system.
- 5) The unit shall recycle effluents within its premises up to maximum possible extent either in the process or for gardening/plantation subject to the conformity with the standard prescribed by RSPCB.
- 6) The unit shall have to comply with the conditions imposed by RSPCB, CPCB, MoEF & other government departments time to time.
- 7) Will regularly pay their share towards meeting CETP project construction & O&M expenses.
- 8) Any change in the information provided at the time of membership by the unit should be intimated to the KGTA & also be approved from RIICO & RSPCB.
- 9) No dues Certificate to be obtained from KGTA.

On behalf of Member Unit
M/s
(Signature & Seal)
Name & Designation: